

| | |
|--------------------------|---|
| Make | MG |
| Model | MG3 |
| Model year | 2013 |
| Type | MG3 Hatch |
| Body | 5-Door |
| Style | Hatchback |
| Engine/drivetrain layout | Front wheel drive/ Front engine/ Transverse mounted |

| Grade | | 3TIME | | 3FORM | | 3FORM SPORT | | 3STYLE | | |
|---|----------------------|-------|----------------------|-------|----------------------|-------------|----------------------|--------|---------|--|
| Engine and Chassis | | | | | | | | | | |
| Type | DOHC VTI-TECH | | DOHC VTI-Tech | | DOHC VTI-Tech | | DOHC VTI-Tech | | | |
| Aspiration | Normally Aspirated | | Normally Aspirated | | Normally Aspirated | | Normally Aspirated | | | |
| Delivery | Multipoint injection | | Multipoint injection | | Multipoint injection | | Multipoint injection | | | |
| Fuel | UNLEADED 95 RON | | UNLEADED 95 RON | | UNLEADED 95 RON | | UNLEADED 95 RON | | | |
| Cylinders | 4 | | 4 | | 4 | | 4 | | | |
| Valves | 16 | | 16 | | 16 | | 16 | | | |
| Camshaft drive | Chain | | Chain | | Chain | | Chain | | | |
| Displacement | 1498 | | 1498 | | 1498 | | 1498 | | | |
| Bore | mm | 75 | | 75 | | 75 | | 75 | | |
| Stroke | 84.8 | | 84.8 | | 84.8 | | 84.8 | | | |
| Compression ratio | 10.5 : 1 | | 10.5 : 1 | | 10.5 : 1 | | 10.5 : 1 | | | |
| Maximum power | PS @ rpm | 106 | 6000 | 106 | 6000 | 106 | 6000 | 106 | 6000 | |
| Maximum torque | NM @ rpm | 137 | 4750 | 137 | 4750 | 137 | 4750 | 137 | 4750 | |
| Front suspension | McPherson struts | | McPherson struts | | McPherson struts | | McPherson struts | | | |
| Rear suspension | Torsion Beam | | Torsion Beam | | Torsion Beam | | Torsion Beam | | | |
| Steering system | HPAS | | HPAS | | HPAS | | HPAS | | | |
| Throttle | Drive by wire | | Drive by wire | | Drive by wire | | Drive by wire | | | |
| Transmission | | | | | | | | | | |
| Speed/type | 5-speed | | Manual | | 5-speed | | Manual | | 5-speed | |
| 1st | 3.462 | | 3.462 | | 3.462 | | 3.462 | | 3.462 | |
| 2nd | 1.952 | | 1.952 | | 1.952 | | 1.952 | | 1.952 | |
| 3rd | 1.323 | | 1.323 | | 1.323 | | 1.323 | | 1.323 | |
| 4th | 0.973 | | 0.973 | | 0.973 | | 0.973 | | 0.973 | |
| 5th | 0.795 | | 0.795 | | 0.795 | | 0.795 | | 0.795 | |
| Reverse | 3.455 | | 3.455 | | 3.455 | | 3.455 | | 3.455 | |
| Final drive | 4.118 | | 4.118 | | 4.118 | | 4.118 | | 4.118 | |
| Performance, Insurance and Fuel consumption | | | | | | | | | | |
| Acceleration | 0-60mph | 10.4 | | 10.4 | | 10.4 | | 10.4 | | |
| | 0-100KPH | 10.9 | | 10.9 | | 10.9 | | 10.9 | | |
| | 50mph-70mph (4th) | 11.2 | | 11.2 | | 11.2 | | 11.2 | | |
| | 50mph-70mph (5th) | 15.5 | | 15.5 | | 15.5 | | 15.5 | | |
| Max speed | mph | 108 | | 108 | | 108 | | 108 | | |
| Insurance group | 4E | | 4E | | 4E | | 4E | | | |
| Emission standard | EU5 plus | | EU5 plus | | EU5 plus | | EU5 plus | | | |
| Urban | mpg (l/100km) | 37.7 | 7.5 | 37.7 | 7.5 | 37.7 | 7.5 | 37.7 | 7.5 | |
| Extra Urban | | 57.6 | 4.9 | 57.6 | 4.9 | 57.6 | 4.9 | 57.6 | 4.9 | |
| Combined | | 48.7 | 5.8 | 48.7 | 5.8 | 48.7 | 5.8 | 48.7 | 5.8 | |
| CO2 | g/km | 136 | | 136 | | 136 | | 136 | | |
| Dimensions (Exterior) | | | | | | | | | | |
| Overall length | mm | 4018 | | 4018 | | 4018 | | 4018 | | |
| Width | | 1729 | | 1729 | | 1729 | | 1729 | | |
| Overall width inc. mirror | | 1912 | | 1912 | | 1912 | | 1912 | | |
| Height | | 1507 | | 1507 | | 1507 | | 1507 | | |
| Height inc arial | | 1845 | | 1845 | | 1845 | | 1845 | | |
| Wheelbase (mm) | | 2520 | | 2520 | | 2520 | | 2520 | | |
| Front track (mm) | | 1505 | | 1505 | | 1505 | | 1505 | | |
| Rear track (mm) | 1493 | | 1493 | | 1493 | | 1493 | | | |
| Turning circle | m | 10.4 | | 10.4 | | 10.4 | | 10.4 | | |
| Dimensions (Interior) | | | | | | | | | | |
| Front | Legroom (max) | 1062 | | 1062 | | 1062 | | 1062 | | |
| | Headroom (max) | 984 | | 984 | | 984 | | 984 | | |
| | Shoulder room (max) | 1365 | | 1365 | | 1365 | | 1365 | | |
| | Elbow room (max) | 1394 | | 1394 | | 1394 | | 1394 | | |
| Rear | Legroom rear (max) | 875 | | 875 | | 875 | | 875 | | |
| | Headroom rear (max) | 972 | | 972 | | 972 | | 972 | | |
| | Shoulder room (max) | 1318 | | 1322 | | 1322 | | 1322 | | |
| | Elbow room (max) | 1407 | | 1407 | | 1407 | | 1407 | | |
| Weights and Capacities | | | | | | | | | | |
| Trunk capacity, seats up (VDA) | litres | 285 | | 285 | | 285 | | 285 | | |
| Trunk capacity, seats up (VDA), with optional spare tyre fitted | | 256 | | 256 | | 256 | | 256 | | |
| Trunk capacity, seats down, load to window line (VDA) | | 546 | | 546 | | 546 | | 546 | | |
| Trunk capacity, seats down, load to roof (VDA) | | 1262 | | 1262 | | 1262 | | 1262 | | |
| Kerb weight | kg | 1125 | | 1150 | | 1150 | | 1155 | | |
| Max permissible weight | | 1665 | | 1675 | | 1675 | | 1685 | | |
| Payload | | 540 | | 525 | | 525 | | 530 | | |
| Max towing weight (unbraked) | | 200 | | 200 | | 200 | | 200 | | |
| Max Nose weight | | 75 | | 75 | | 75 | | 75 | | |
| Max weight of the vehicle + trailer | | 1865 | | 1875 | | 1875 | | 1885 | | |
| Seating Capacity | max | 5 | | 5 | | 5 | | 5 | | |
| Fuel tank capacity, approx max | litres/gallons | | | 45 | | | | | | |
| Safety and Security | | | | | | | | | | |
| Seatbelt reminder, driver and passenger | • | | • | | • | | • | | | |
| Front seatbelt pretensioners | • | | • | | • | | • | | | |
| Driver Supplemental Restraint System airbags | SRS | • | | • | | • | | • | | |
| Passenger Supplemental Restraint System airbags | | • | | • | | • | | • | | |
| Side Supplemental Restraint System airbags | | • | | • | | • | | • | | |
| Curtain Supplemental Restraint System airbags | | • | | • | | • | | • | | |
| Passenger airbag cut-off switch | | • | | • | | • | | • | | |
| Antilock Braking System | ABS | • | | • | | • | | • | | |
| Stability Control System | SCS | • | | • | | • | | • | | |
| Electronic Brake force distribution | EBD | • | | • | | • | | • | | |
| Emergency Brake Assist | EBA | • | | • | | • | | • | | |
| Hill Hold Control | HHC | • | | • | | • | | • | | |
| Brake Disc Wiping | BDW | • | | • | | • | | • | | |

| | |
|--------------------------|---|
| Make | MG |
| Model | MG3 |
| Model year | 2013 |
| Type | MG3 Hatch |
| Body | 5-Door |
| Style | Hatchback |
| Engine/drivetrain layout | Front wheel drive/ Front engine/ Transverse mounted |

| Grade | | 3TIME | 3FORM | 3FORM SPORT | 3STYLE |
|--|--------------------------------------|----------|-------|-------------|--------|
| Front disc brakes | SIZE | • | • | • | • |
| Rear drum brakes | SIZE | • | • | • | • |
| Brake Pad wear sensor | | • | • | • | • |
| High level stop lamp | | • | • | • | • |
| Engine Drag Torque Reduction | EDTR | • | • | • | • |
| Tyre Pressure Monitoring | TPMS | • | • | • | • |
| Side impact beams | | • | • | • | • |
| ISO-fix child restraint system mountings | 2, rear seat | • | • | • | • |
| Jack-knife key | | • | • | • | • |
| Master lock/unlock | | • | • | • | • |
| Remote Central Door Locking | CDL | • | • | • | • |
| Deadlocks | | • | • | • | • |
| Immobiliser system | | • | • | • | • |
| Drive-away locking | | • | • | • | • |
| Instrumentation | | | | | |
| Gear change indicator | | • | • | • | • |
| Speedometer and Tachometer | Analogue | • | • | • | • |
| "Tunnel" design instruments | | • | • | • | • |
| MG3 badge on Speedometer | | • | • | • | • |
| Fuel gauge | Digital | • | • | • | • |
| Low temperature warning | | • | • | • | • |
| Multifunction trip computer | Digital | • | • | • | • |
| Vehicle Exterior | | | | | |
| Halogen headlamps | | • | • | • | • |
| MG logo in headlamps | | • | • | • | • |
| LED Daytime Running Lights (DRL) | | • | • | • | • |
| Tail lamps with integrated fog lamps | | • | • | • | • |
| Body coloured front bumper assembly | | • | • | • | • |
| Front sport design grille | | • | • | • | • |
| Body coloured rear bumper assembly | | • | • | • | • |
| Black door handles | | • | • | • | • |
| Body coloured door handles | | • | • | • | • |
| Side sills, body colour with black insert | | • | • | • | • |
| Rear tailgate spoiler | | • | • | • | • |
| Rear sport design valance | | • | • | • | • |
| Square tailpipe in chrome | | • | • | • | • |
| MG3 logo | | • | • | • | • |
| Wheels and Tyres | | | | | |
| 14" Steel wheel + Trim | Goodyear "GT3" 185/75 R14 | • | • | • | • |
| 16" "Carousel" Alloy wheel | Goodyear "Efficient Grip" 195/55 R16 | • | • | • | • |
| 16" "Diamond" Alloy wheel | Goodyear "Efficient Grip" 195/55 R16 | • | • | • | • |
| Tyre repair kit | Pump and go kit | • | • | • | • |
| Seating | | | | | |
| Interior trim | ZERO Design | • | • | • | • |
| Sports seats | Fabric | • | • | • | • |
| Red stitch on seats | | • | • | • | • |
| Contrast bolsters | | | | | |
| Seat adjustment | Driver | Leg | • | • | • |
| | | Height | • | • | • |
| | | Backrest | • | • | • |
| | Passenger | Leg | • | • | • |
| | | Backrest | • | • | • |
| Seat back pocket | Driver | • | • | • | |
| | Passenger | • | • | • | |
| Passenger seat undertray | | • | • | • | |
| 60/40 Split rear seats | | • | • | • | |
| Comfort and Convenience | | | | | |
| Three spoke "MG" design steering wheel | | • | • | • | |
| MG3 logo on steering wheel | | • | • | • | |
| Leather "MG" design steering wheel | | • | • | • | |
| Red steering wheel stitch | | • | • | • | |
| Cool silver interior detail | Vents | • | • | • | |
| | Instrument surround | • | • | • | |
| | Handles | • | • | • | |
| Steering wheel adjustment | Reach | • | • | • | |
| Cupholders | Front x2 | • | • | • | |
| | Rear x1 | • | • | • | |
| 12V Socket | Front | • | • | • | |
| Cruise control | | • | • | • | |
| Manual heater control | | • | • | • | |
| Electronic air-conditioning | | • | • | • | |
| Front electric windows with auto down function | | • | • | • | |
| Rear electric windows | | • | • | • | |
| Courtesy lighting | Front | • | • | • | |
| Sunvisor | Driver | • | • | • | |
| | Passenger | • | • | • | |
| Vanity mirror | Driver | • | • | • | |
| | Passenger | • | • | • | |
| Front variable intermittent wiper | | • | • | • | |
| Automatic front wiper with rain sensor | | • | • | • | |
| Automatic headlamps with dusk sensor | | • | • | • | |
| Heated rear window | | • | • | • | |
| Rear intermittent wiper | | • | • | • | |
| Rear view mirror | Day/night adjustable | • | • | • | |
| Reverse parking sensors | | • | • | • | |



| | |
|--------------------------|---|
| Make | MG |
| Model | MG3 |
| Model year | 2013 |
| Type | MG3 Hatch |
| Body | 5-Door |
| Style | Hatchback |
| Engine/drivetrain layout | Front wheel drive/ Front engine/ Transverse mounted |

| Grade | | 3TIME | 3FORM | 3FORM SPORT | 3STYLE |
|--|--------------------------------------|-------|---------|-------------|------------|
| Side mirrors | Heated | | • | • | • |
| | Manual adjustable | • | • | • | • |
| | Electrically adjustable | | • | • | • |
| | Body colour | • | • | • | • |
| In-Car Entertainment | | | | | |
| Stereo CD+AMFM tuner with MP3 compatibility | | • | • | • | • |
| Steering wheel audio controls | | | • | • | • |
| Full range speakers | Front x2 | • | • | • | • |
| | Rear x2 | • | • | • | • |
| Tweeters | | | • | • | • |
| Smartphone dock preparation | | | • | • | • |
| USB port | | • | • | • | • |
| iPod integration | | | • | • | • |
| Aux-in | | • | • | • | • |
| DAB | | | • | • | • |
| Bluetooth phone integration | | | • | • | • |
| Bluetooth audio | | | • | • | • |
| Options | | | | | |
| Interior Trim | | | | | |
| TECH Part leather trim | | | | | o |
| Piano black with silver interior pack | | o | o | o | o |
| Piano black with red interior pack with Black Key | | o | o | o | o |
| Metallic grey with red interior pack with Black Key | | o | o | o | o |
| Piano black with silver interior pack with Black Key | | o | o | o | o |
| Piano black with red interior pack with Red Key | | o | o | o | o |
| Metallic grey with red interior pack with Red Key | | o | o | o | o |
| Gearknob | | o | o | o | o |
| Phone kit, iPhone3 | | | o | o | o |
| Phone kit, iPhone4 | | | o | o | o |
| Phone kit, iPhone5 | | | o | o | o |
| Phone kit generic | | | o | o | o |
| PND fitment kit | | | o | o | o |
| Exterior Trim | | | | | |
| *Newton Black* Wing mirror cap | | o | o | o | o |
| *White on the Tiles* wing mirror cap | | o | o | o | o |
| *Ticked Pink* wing mirror cap | | o | o | o | o |
| *Red Rose* wing mirror cap | | o | o | o | o |
| Wheels and Tyres | | | | | |
| 16" "Diamond" Alloy wheel | Goodyear "Efficient Grip" 195/55 R16 | o | o | o | • |
| 16" "Black Diamond" Alloy wheel | Goodyear "Efficient Grip" 195/55 R16 | o | o | o | o |
| 16" "Red Diamond" Alloy wheel | Goodyear "Efficient Grip" 195/55 R16 | o | o | o | o |
| 16" "White Diamond" Alloy wheel | Goodyear "Efficient Grip" 195/55 R16 | o | o | o | o |
| 16" "Grey Diamond" Alloy wheel | Goodyear "Efficient Grip" 195/55 R16 | o | o | o | o |
| Spare wheel | T125/90 R14 (temporary use) | o | o | o | o |
| Graphics | | | | | |
| Mod Oct | | o | o | o | o |
| Hope and Glory | | o | o | o | o |
| Trophy Stripe | White | o | o | o | o |
| Trophy Stripe | Black | o | o | o | o |
| Sebring Stripe | Red | o | o | o | o |
| Trophy Stripe - Bonnet only | White | o | o | o | o |
| Trophy Stripe - Bonnet only | Black | o | o | o | o |
| Sebring Stripe - Bonnet only | Red | o | o | o | o |
| Shards | | o | o | o | o |
| Weave | | o | o | o | o |
| Burst | | o | o | o | o |
| Emoticons | | o | o | o | o |
| Burnout | | o | o | o | o |
| Servicing and Warranty | | | | | |
| Standard servicing interval | | | 1 year | | 15000miles |
| Warranty | | | 3 years | | 60000miles |
| Paint protection | | | 3 years | | 60000miles |
| Anti Perforation | | | 6 years | | unlimited |

Standard Equipment •
Optional at extra cost o